

Standox Spray Gun Cleaner 6900S



Spray gun Cleaner 6900S cleans spray guns thoroughly, efficiently and gently from all impurities. Thanks its strong solvent power, 1K solvent- and water-based products as well as non-fully cured 2K-coatings are removed without any problems. Cleaning the spray guns with 6900S is extremely time-saving. The 400 ml spray can is equipped with a short and long nozzles for efficient, comfortable and flexible application, whilst also providing a cost-effective alternative to using a spray gun cleaner.

- Cleans spray guns thoroughly, quickly and gently.
- Extremely time-saving.
- High Solvent Power.

Spray Gun Cleaner




The Art of Refinishing.

Standex Spray Gun Cleaner 6900S

Product preparation - application



It is strongly recommended to use appropriate personal protection equipment during application to avoid respiratory, skin and eye irritation.



Ready to use



Not applicable

VOC compliant

2004/42/IIB(e)(840) 750: The EU limit value for this product (product category: IIB(e)) in ready to use form is maximum 840 g/l of VOC. The VOC content of this product in ready to use form is maximum 750 g/l.

Standex Spray Gun Cleaner 6900S

Products

Standex Spray Gun Cleaner 6900S



1. After the application work, empty the spray gun.
 2. Remove the paint cup and disconnect air supply. Optional, remove both the fluid tip and air cap.
 3. Clean the inside of the spray gun and the removed parts using either the short or long plastic cleaning hose. Use over a container to collect waste. (Spraying distance: 0 – 20 cm)
 4. Let the spray gun drain of residual solvent.
 5. Use compressed air to blow dry the spray gun and re-assemble.
-

Remarks

- The information on usability refers to a new un-used can when properly stored between 15 - 25°C and a relative humidity not over 60%. The can must be upright, dry and protected from chemical and mechanical influences whilst stored and transported. The safety instructions on the can as well as all legal provisions of the storage location are to be considered.
-

Consult Safety Data Sheet prior to use. Observe the precautionary notices displayed on the container.

All other products referred to in the refinish build up are from our Standox product range. System properties will not be valid when the related material is used in combination with any other materials or additives which are not part of our Standox product range, unless explicitly indicated otherwise.

For professional use only! The information provided in this documentation has been carefully selected and arranged by us. It is based upon our best knowledge on the subject at the date of issuance. The Information is given for information purposes only. We are not liable for its correctness, accuracy and completeness. It is up to the user to check the information with regard to up-to-dateness and suitability for his intended purpose. The intellectual property in this Information, including patents, trademarks and copyrights, is protected. All rights reserved. The relevant Material Safety Data Sheet and Warnings displayed on the product label need to be observed. We may modify and/ or discontinue operation of all or portions of this Information at any time in our sole discretion, without notice and assume no responsibility to update the Information. All rules set forth in this clause shall apply accordingly for any future changes and amendments.

